Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(ATM or "asynchronous transfer mode") and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:13
L2	1	(ATM or "asynchronous transfer mode") and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L3	1	(ATM or "asynchronous transfer mode") and "switch" and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L4	1	(ATM or "asynchronous transfer mode") and "switch" and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L5	1	(ATM or "asynchronous transfer mode") and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L6	1	(ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15

L7	1	(ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer memory") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:04
L8	0	(ATM or "asynchronous transfer mode") and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L9	0	(ATM or "asynchronous transfer mode") and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L10	0	(ATM or "asynchronous transfer mode") and "switch" and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L11	0	(ATM or "asynchronous transfer mode") and "switch" and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L12	0	(ATM or "asynchronous transfer mode") and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15

L13	0	(ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L14	0	(ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer memory") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L15	8067	((370/395) or (370/389) or (370/238.1) or (370/390) or (370/412) or (370/413) or (370/414) or (370/417) or (370/422) or (370/428) or (370/429) or (370/398) or (370/229) or (370/432) or (370/395.42) or (370/395.71)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 12:05

L16	29061	((370/395) or (370/389) or (370/238.1) or (370/390) or (370/412) or (370/413) or (370/414) or (370/417) or (370/422) or (370/428) or (370/429) or (370/398) or (370/229) or (370/432) or (370/395.42) or (370/395.71) or (370/216-221) or (370/244) or (370/250) or (370/225-228) or (370/229) or (370/242) or (370/237) or (370/236.1) or (370/236) or (370/278) or (370/299) or (370/263) or (370/270) or (370/266) or (370/267) or (370/351-360) or (370/363) or (370/369) or (370/378) or (370/379) or (370/382) or (370/376) or (370/386-390) or (370/395.1) or (370/396) or (370/398) or (370/395.4) or (370/395.42) or (370/395.7) or (370/395.71) or (370/395.72) or (370/400) or (370/412) or (370/413-420) or (370/422) or (370/428) or (370/429) or (370/432) or (370/455) or (370/458) or (370/459) or (370/508) or (370/902) or (370/60) or (370/68) or (379/67.1) or (379/100.17) or (379/265.09) or (379/242) or (379/266.01-266.04) or (379/258) or (379/268) or (379/271) or (379/273) or (379/309) or (379/320)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 12:14
L17	1	L16 and (ATM or "asynchronous transfer mode") and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:13
L18	1	L16 and (ATM or "asynchronous transfer mode") and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14

L19	1	L16 and (ATM or "asynchronous transfer mode") and "switch" and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L20	1	·L16 and (ATM or "asynchronous transfer mode") and "switch" and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L21	1	L16 and (ATM or "asynchronous transfer mode") and "switch" and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L22	1	L16 and (ATM or "asynchronous transfer mode") and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L23	1	L16 and (ATM or "asynchronous transfer mode") and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:14
L24	1	L16 and (ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15

L25	0	L16 and (ATM or "asynchronous transfer mode") and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L26	0	L16 and (ATM or "asynchronous transfer mode") and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L27	0	L16 and (ATM or "asynchronous transfer mode") and "switch" and "buffer" and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L28	0	L16 and (ATM or "asynchronous transfer mode") and "switch" and "buffer" and "queue" and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L29	0	L16 and (ATM or "asynchronous transfer mode") and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15
L30	0	L16 and (ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 12:15

| L31 | 0 | L16 and (ATM or "asynchronous transfer mode") and "switch" and (MCI or "multicast connection identifier") and (buffer or "shared buffer memory") and (queue or "address queue") and (priority or priorities) and (unicast or "unicast cell") and (multicast or "multicast cell") and ("fan out port" or "fanout port") and @ad<"20000707" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/19 12:16 |